

# Porous Silicon for Accumulation and Generation of Hydrogen

A. V. Dolbik<sup>1</sup>,

S. K. Lazarouk<sup>2</sup>,

A. A. Leshok<sup>3</sup>

2019

1, 2, 3 Department, R&D Lab 4.12 «Electrochemical nano-structure materials», Department of Micro- and Nanoelectronics, Belarusian State University of Informatics and Radioelectronics, Minsk, Belarus Foreign (Institute for Nuclear Problems, Belarusian State University, 220030, Minsk, Belarus)

**Keywords:** Porous Si, Electrochemical anodization, Hydrogen.

**Abstract:** Porous silicon layers have been formed by electrochemical anodization of p- and n-type Si substrates. The volume of hydrogen desorbed from the surface of porous silicon after the anodic treatment was measured to be as large as 4wt.%. Regeneration of hydrogen can be achieved by porous silicon reanodization.

**This article published in:** Dolbik, A. V. Porous Silicon for Accumulation and Generation of Hydrogen / A. V. Dolbik, S. K. Lazarouk, A. A. Leshok // International Journal of Nanoscience – 2019. – Vol. 18, No. 3-4 – P. 1940089 (1-4). – <https://doi.org/10.1142/S0219581X19400891>.

3D Silicon Photonic Structures Based on Avalanche LED with Interconnections through Optical Interposer / S. K. Lazarouk [and others]

**Internet link to the article:**

<https://www.worldscientific.com/doi/abs/10.1142/S0219581X19400891>.

© 2019 World Scientific Publishing Co Pte Ltd. All rights reserved.